

MONDOFLEX 2,5 MM



Prefabricated indoor sport flooring in rolls consisting of natural and synthetic, calendered and vulcanized rubber. Smooth, non-slip surface with tone on tone marbled effect, vulcanized onto a load-bearing subfloor in similar color in a total constant 2,5 mm. thickness.

Non porous rubber surface provides ease of maintenance and antibacterial protection against MRSA and odors. The use of rubber brings specific advantages in front of other materials, like no need of weld rods for installation and a superior protection against intensive use.

The product has been certified in compliance with International schemes and standards for Indoor Air Quality programs (VOC, Volatile Organic Compounds emissions) like Greenguard, Greenguard Gold (UL Certification Program) and

Environmental Product Declaration (EPD).

This product is ideal for a multipurpose indoor hall where amatorial indoor sport activities are held, such of basketball, handball, volleyball, badminton or futsal, or for ancillary areas.

STANDARDS COMPLIANCE

This product has been certified to be in compliance with European Standards EN 14041 including Declaration Of Performance (DoP, CE marking) and it is rated Euroclass Bfl-s1 in accordance with EN 13501.

This product has been certified in compliance with the following schemes and standards for Indoor Air Quality programs (VOC, Volatile Organic Compounds emissions):

- Greenguard and Greenguard Gold (UL Certification Program).
- French scope (2011-321): Class A+.
- Italian regulation CAM (Minimum Environmental Criteria) following D.M. 11/01/2017.
- Environmental Product Declaration (EPD).

This product has been rated "Non Hazardous" by external laboratory in accordance with the European Waste Catalogue. This means that it does not present a subrisk to public health or cause adverse effects on the environment.

This article is produced in compliance with the European Regulation REACH (Registration, Evaluation, Authorization and Restriction of Chemicals).

This product is designed and manufactured according to UNI EN ISO 9001 certification.

CERTIFICATIONS

Available International Sport Federation certificates for this product:


IHF Certificate of Approval for Synthetic Floorings

Mondoflex_Greenguard Certification

Mondoflex_Greenguard Gold Certification

EPD_Indoor_2,5-4mm

COLOR RANGE



MF61 MAPLE




MF21



MF25



MF40




MF10




MF18




MF33




MF30



MF62



MF90



MF70

This color range is to be used as a guideline only.

INSTALLATION AND MAINTENANCE

The product must be stored and installed in appropriate conditions, including suitable protected premises at guaranteed minimum and maximum temperatures and humidity, as fully described in MONDO's *Storage and Installation Instructions*. The product must be used and maintained following the premises described in MONDO's *Use and Maintenance Instructions*.

DIMENSIONS

Thickness	Length	Width	Weight
2,5 mm	18 m	190 cm	3,75 kg/m ²



For additional product information, please refer to the Technical Data Sheet.

27/07/2020

Mondo keeps the right to modify the characteristics of the products in any moment

www.mondoworldwide.com p. 3/3



EN 14041

