
RUBBER SPORT FLOORINGS RAMFLEX







Ramflex is a double-layered vulcanized rubber flooring with a hammered surface finish. The combination of two layers with different densities enables Ramflex to resists the wear and the weight of sports equipment while providing optimal comfort and energy return. Ramflex Interlock allows easy and fast procedures of application and removal and represent an ideal solution for renovations, high moisture conditions and temporary applications. Available with Inlaid markings.



Thickness: 6 mm

Roll Length: 13 m | Roll Height: 186 cm

Weight: 8.00 kg/m²

Tiles Dimension: 91,35 cm x 91,35 cm

Thickness: 10mm

Tile size: 91.5 x 91.5 cm

Roll Height 186 cm | Roll Length 9m

Weight: 13.5 kg/m²

Ramflex 6 MM perfect for:

- Holistic Fitness Classes
- Yoga
- Pilates
- Training
- Mobility and Stability work-outs
- Cardio Equipment Areas
- Soft Weights

Ramflex 10 MM also suitable for:

- Suspension training
- Functional Frames
- Weight Rooms
- Crossfit[®]







RUBBER SPORT FLOORINGS: THE ADVANTAGES

UNVARIED AND STEADY PERFOMANCES

Best physical-mechanical behaviors even in case of temperature variations

DURABLE UNDER INTENSIVE USE

No welded joints Ease of maintenance over the years

GREEN FACTS' AND CERTIFICATIONS

- REACH Compliant
- Non Hazardous Waste according to the E.W.C
- Low VOC (Volatile Organic Compounds) emission
- Class A+ (French scope 2011-321)
- GREENGUARD & GREENGUARD Gold (UL)
- The Rubber Range Environmental Product Declarations (EPD) for Life Cycle Analysis show the products have 19% less impact on the environment than similar PVC products
- Fire EUROCLASS (EN 13501)
- CE marked product (EN 14041 / EN 14094 incl DoP)
- UNI EN ISO 9001

LOW VOC EMISSIONS

Better air quality means better performances for athletes



















GREENGUARD GOLD CERTIFICATION

Air pollution can have a negative effect on athletes' performance and put their health at risk. During training and competition, athletes breathe 20 times more than they would normally. This means that they are 20 times more exposed to pollution risks. That is why mondo has been striving for years to achieve low VOC emissions and have that confirmed by independent external laboratories, such as UL Environment, which has given our surfaces GREENGUARD **GOLD** Certification, or by accredited laboratories, which have awarded them class A+ according to the French Decree.



WMMONDO

WWW.MONDOWORLDWIDE.COM

PRODUCT MANAGER INDOOR SPORT: MR. CLAUDIO GONELLA MAIL: CGONELLA@MONDOITA.COM