



SPORTFLEX SUPER X 720 ™ K41 IS THE MONDO ATHLETIC TRACK FLOORING SPECIFICALLY DESIGNED TO ACCOMMODATE INTENSIVE TRAINING BY PROFESSIONAL ATHLETES, TESTED IN COLLABORATION WITH THE TURIN MEN'S SPRINT TEAM.

MICROPLASTIC FREE

The surface is free of coatings and partially embedded microplastic granules.



CO-VULCANIZED MULTI-LAYER DUAL DUROMETER

Our sport surfaces are made from two layers of solid rubber vulcanized together to form a continuous, seamless surface.



AIR-CELL TECHNOLOGY

Air-filled chambers on the bottom layer compress, then expand, acting like bowstrings and projecting athletes up and forward.



ELONGATED HONEYCOMB Backing

Hexagonal air-filled chambers surrounded by ribs that deform in three dimensions on the track underlayment minimize the time the athlete is in contact with the flooring, maximize energy return, and optimize the floor's reaction time.

19/04/2024

Mondo keeps the right to modify the characteristics of the products in any moment



SPORTFLEX SUPER X 720™ K41

Professional athletes love to practice on the same surface on which they compete, but for more intense training sessions and drills, they prefer a solution that offers a greater level of comfort.

Sportflex Super X 720[™] K41 is what they want. Designed to be installed in combination with Sportflex Super X 720[™] K39, which is used for competitions and practice, K41 guarantees the extra comfort required for athletic drills and intensive training, and a shock absorption coefficient of 41%, while maintaining the same biomechanical behaviour as K39.

Sportflex Super X 720[™] K41 has a uniform thickness of 15 mm and is compatible with shoes with spikes up to 12 mm (6 mm and 9 mm compression spikes recommended).

FACILITIES MADE FOR PERFORMANCE.

Athletics facilities can easily be configured for the installation of both Sportflex Super X 720[™] K41 and K39, providing athletes with areas dedicated to intensive training and and drills but with a track for practice and competition.

The biomechanical characteristics and color range of the two surfaces enable facilities to have uniform track performance and aesthetics.

A WINNING TRADITION.

Pairing MondotrackTM's bottom layer and the traditional Sportflex Super X^{TM} top layer, Sportflex Super X 720TM is the perfect combination of comfort and performance.

The rubber-based top layer is characterized by the traditional Sportflex Super X[™] pattern, guaranteeing unrivaled elasticity and great spike resistance. This texture, which has been imitated but never duplicated, ensures excellent grip and traction, and efficient water runoff in the rain.

A TOP-NOTCH LOWER LAYER.

The Sportflex Super X 720™'s backing features the same geometrical elongated honeycomb construction as Mondotrack WS™.

The hexagonal air cells deform in three dimensions and guarantee the ideal combination of shock absorption and energy storage and return, enhancing the surface's reaction times and reducing athletes' fatigue and risk injury.

RESPECT FOR PERFORMANCE AND THE ENVIRONMENT

Sportflex Super X 720™ is one example of MONDO's commitment to environmental sustainability: Made in MONDO's Gallo d'Alba factory, which is powered by a photovoltaic system, it includes up to 38% contaminant-free, recycled post-consumer and post-industrial material, and 10% rapidly renewable materials. Sportflex Super X 720™ has GREENGUARD and GREENGUARD Gold certification, due to its minimal volatile organic compound (VOC) emissions and the absence of amines and isocyanates.

19/04/2024

Mondo keeps the right to modify the characteristics of the products in any moment



SUPER X 720 K41 15 MM

THICKNESS WEIGHT ROLL LENGTH ROLL WIDTH

15 mm 13,5 kg/m²

COLOR RANGE



CERTIFICATIONS

Super X 720 Greenguard Certification

Super X 720 Greenguard Gold Certification

Super X 720 I Greenguard Certification

Super X 720 I Greenguard Gold Certification