

MONDOSEAT NOVANTA/3



STRUCTURE

Multipurpose seat with high backrest sized for the utmost comfort and in line with FIFA and UEFA recommendations. Seat in single piece injection moulded thermoplastic without metal inserts.

Ergonomically designed for the utmost comfort for sport events' spectators.

COLOR RANGE



RAL 5015



RAL 5017



RAL 5005



RAL 3001



RAL 2009



RAL 1003



RAL 5018




RAL 6029






RAL 9010



RAL 7001



RAL 9017





TECHNICAL DATA

MONDOSEAT NOVANTA/3

REV. 4 - 09/2019

| GENERAL PROPERTIES | TEST METHODS | UNIT OF MEASURE | VALUES FROM MANUFACTURING CONTROLS |
|---|--|-----------------|--|
| Material | - | - | Colored polypropylene in the mass with copolymer masterbatch |
| Finishing | - | - | Smooth and semi-gloss with light-resistance treatment |
| Fire reaction | D.M. 26/06/84 | class | 1 |
| Fire reaction | NF P 92-501 | class | M2 |
| Ignitability | BS 5852 | CRIB5 | in conformity |
| Calorific value | ISO 1716 | MJ/Kg | 45,9 |
| Safety, reistance and durability requirements | EN 12727 | level | 4 |
| FIFA conformity | FIFA Stadium Safety and Security Regulations | - | in conformity |
| UEFA conformity | UEFA Stadium Infrastructure Regulation | - | in conformity |



TECHNICAL DATA

MONDOSEAT NOVANTA/3 - Standard Version

REV. 2 - 09/2019

Standard Version

| GENERAL PROPERTIES | TEST METHODS | UNIT OF MEASURE | VALUES FROM MANUFACTURING CONTROLS |
|--|--|-----------------|--|
| Material | - | - | Colored polypropylene in the mass with copolymer masterbatch |
| Finishing | - | - | Smooth and semi-gloss with light-resistance treatment |
| Safety, resistance and durability requirements | EN 12727 | level | 4 |
| FIFA conformity | FIFA Stadium Safety and Security Regulations | - | in conformity |
| UEFA conformity | UEFA Stadium Infrastructure Regulation | - | in conformity |