

MONDOSEAT NOVANTA/5





STRUCTURE

Multipurpose seat with high backrest (35 cm) sized for the utmost comfort and in line with FIFA and UEFA recommendations.

Seat in gas injected moulded thermoplastic to form structural hollow tubing.

Ergonomically designed for the utmost comfort for sport events' spectators.

COLOR RANGE



RAL 5015



RAL 5017



RAL 5005



RAL 3001



RAL 2009



RAL 1003



RAL 5018




RAL 6029






RAL 9010



RAL 7001



RAL 9017





TECHNICAL DATA

MONDOSEAT NOVANTA/5

REV. 3 - 12/2018

GENERAL PROPERTIES	TEST METHODS	UNIT OF MEASURE	VALUES FROM MANUFACTURING CONTROLS
Material	-	-	Colored polypropylene in the mass with copolymer masterbatch
Finishing	-	-	Smooth and semi-gloss with light-resistance treatment
Fire reaction	D.M. 26/06/84	class	1
Fire reaction	NF P 92-501	class	M2
FIFA conformity	FIFA Stadium Safety and Security Regulations	-	in conformity
UEFA conformity	UEFA Stadium Infrastructure Regulation	-	in conformity



TECHNICAL DATA

MONDOSEAT NOVANTA/5 - Standard Version

REV. 1 - 12/2018

Standard Version

GENERAL PROPERTIES	TEST METHODS	UNIT OF MEASURE	VALUES FROM MANUFACTURING CONTROLS
Material	-	-	Colored polypropylene in the mass with copolymer masterbatch
Finishing	-	-	Smooth and semi-gloss with light-resistance treatment
FIFA conformity	FIFA Stadium Safety and Security Regulations	-	in conformity
UEFA conformity	UEFA Stadium Infrastructure Regulation	-	in conformity