


SPORTFLEX M INTERLOCK

SPORT WHEREVER YOU NEED.



DESIGNED TO PROVIDE THE BEST POSSIBLE COMBINATION OF SLIP RESISTANCE, ROTATIONAL FRICTION, COMFORT AND SAFETY IN MULTI-FUNCTIONAL APPLICATIONS, SPORTFLEX M INTERLOCK IS A PORTABLE INTERLOCKING TILES FLOORING SYSTEM MADE OF SYNTHETIC RUBBER, COMPOSED OF TWO LAYERS THAT ARE VULCANIZED TOGETHER TO CREATE A SINGLE PRODUCT.



EMBOSSSED SOLID-RUBBER TOP LAYER

Vulcanized rubber surface layer with raised embossing for optimal elasticity and grip, and efficient drainage.



CO-VULCANIZED MULTI-LAYER DUAL DUROMETER

Two different layers of solid rubber with their own formulations, vulcanized together to form a continuous, seamless piece of material.



2-PHASE VULCANIZATION

The vulcanized top layer integrates a three-dimensional network of pre-vulcanized rubber granules to optimize the surface's performance.

SPORTFLEX M INTERLOCK

For freestyle training, athletes need a surface that ensures uniform energy return and correctly supports the ligaments during continuous rotating movements. Due to its two vulcanized layers, Sportflex M Interlock guarantees the perfect mix of shock absorption and friction coefficient. In addition, its unique texture ensures efficient rainwater drainage, making the surface ideal for outdoor applications. Its interlocking rubber tiles are the perfect solution for renovations and temporary applications, thanks to their easy and fast procedures of application and removal.

Whether for training or recreational purposes, basketball needs a safe surface that supports you when you rapidly change direction and speed and cushions impact when you jump. It needs a comfortable surface that gives you full control of the ball at all times.

That is why Sportflex M Interlock's surface layer has a friction coefficient designed to reduce the risk of injuring ankles and knees to a minimum and a bottom layer that provides uniform cushioning and responsiveness. An ideal solution for indoor and outdoor basketball courts.

Its interlocking rubber tiles are the perfect solution for renovations and temporary applications, thanks to their easy and fast procedures of application and removal.

TOUGH AND MULTI-FUNCTIONAL

Sportflex M interlock's special formulation makes the flooring resistant to high traffic and frequent use in multi-functional settings. It also can withstand light traffic by athletes wearing spikes. The bottom layer has a geometric construction that's deformable in two dimensions to guarantee shock absorption and energy return, which are two fundamental characteristics needed for any sports activity. The anti-reflective top layer improves ball bounce and provides good drainage.

ONE EYE ON PERFORMANCE, THE OTHER ON THE ENVIRONMENT

Sportflex M Interlock contains up to 43% recycled post-consumer and post-industrial materials, and 6% rapidly renewable materials—a concrete example of MONDO's commitment to protecting the environment.

FAST, EVEN FOR CLEANING

Since Sportflex M Interlock doesn't have a loose granular surface, it is easy to clean without compromising traction. Its innovative formula enables Sportflex M Interlock to resist alterations caused by atmospheric agents and provides superior protection against climatic variations and extreme weather conditions. Sportflex M is a pre-manufactured product, which means that portions of the material can be replaced as needed with perfect results.

DIMENSIONS

THICKNESS

8 mm

WEIGHT

8,7 kg/m²

TILE SIZE

90 x 90 cm

COLOR RANGE



P30



P58



P10



P14



P85



P18



P70



P31

CERTIFICATIONS

FIBA Certificate of Approval for Synthetic Flooring Category, Level 2 and 3

ITF COURT PACE CLASSIFICATION CATEGORY 1 SLOW

Sportflex M Greenguard Gold Certification
