

# ADVANCE VULCANIZED

TOUGH MEETS COMFORT



**ADVANCE VULCANIZED IS A MULTI-LAYERED FLOORING MADE OF VULCANIZED RUBBER. ITS THREE LAYERS HAVE VARYING DEGREES OF HARDNESS, AND THE COMBINATION MAKES IT HANDS DOWN THE MOST DURABLE MULTIPURPOSE FLOORING AROUND.**



#### **CO-VULCANIZED MULTILAYER DUAL DUROMETER**

Il prodotto è composto da due strati diversi di gomma solida, uniti attraverso il processo di vulcanizzazione. Il risultato finale è un materiale continuo, senza giunzioni.



#### **AIR-CELL TECHNOLOGY**

Strato inferiore con costruzione geometrica ad alveoli pieni d'aria, per garantire assorbimento della forza d'urto, immagazzinamento di energia e immediata risposta cinetica.



#### **SMOOTH SOLID RUBBER TOP LAYER**

Superficie in gomma vulcanizzata a finitura liscia, per installazioni indoor, che assicura naturalmente il grip superficiale, senza necessità di ulteriori goffrature.

## ADVANCE VULCANIZED

In basketball, support starts under the feet: the right energy return, stability and grip provide the perfect base for top athletic performance. Advance Vulcanized combines three layers to meet all play needs, from practices to championship finals.

Speed, agility and explosive leaping. Volleyball requires a high-end surface capable of supporting high-performance play. That's Advance Vulcanized.

## BETTER GRIP MEANS BETTER PERFORMANCE

The performance layer is made of solid rubber that requires no finishes or surface coatings. It is designed to exceed the toughest friction coefficient standards for high-level play and superior biomechanical performance.

## LESS IMPACT, MORE COMFORT

The underlayer's deformable geometric structure increases the flooring elasticity. This results in optimized foot support, exceptional shock absorption and maximized energy return for superior comfort while playing.

## MAXIMUM SUPPORT FOR HEAVY LOADS

The load disbursement layer enables Advance Vulcanized to withstand heavy loads, such as sports equipment, bleachers, benches and tables.

## INFORMAZIONI DI DIMENSIONE

### THICKNESS

8 mm

10 mm

## GAMMA COLORI



L35



L14




L25




L41




L40




L54




L70




L73



L86



L08



L06



L62



L92