


MULTICOUCHES DOUBLE DUROMETRE CO-VULCANISEES

Le produit est composé par deux couches différentes de caoutchouc solide, unies par le processus de vulcanisation. Le résultat final est un matériau continu, sans jonctions.

TECHNOLOGIE A CELLULES D'AIR

Couche inférieure avec construction géométrique à alvéoles remplies d'air, pour garantir l'absorption de la force d'impact, le stockage de l'énergie et la réponse cinétique immédiate.

COUCHE SUPERFICIELLE EN CAOUTCHOUC SOLIDE LISSE

Surface en caoutchouc vulcanisé à finition lisse, pour installations d'intérieur, qui assure naturellement l'adhérence superficielle sans nécessité de gaufrages supplémentaires.

Toute reproduction, partielle ou totale, et compris toute forme de transmission des informations contenues dans le présent document, devra préalablement avoir été autorisée par Mondo.

ADVANCE PRO

MONDO offers rubber basketball court flooring solutions that are multi-layered to provide uniform response and good shock absorption and energy return for a more comfortable playing experience. Each layer of our synthetic basketball court flooring is made from vulcanized rubber and has varying degrees of hardness that make it the most durable multipurpose sports flooring option available. The energy return, grip, and stability provided by these floors will allow athletes to perform at their best.

Advance Vulcanized is a multi-layered flooring made of vulcanized rubber. Its three layers have varying degrees of hardness, and the combination makes it hands down the most durable multipurpose flooring around.

Speed, agility and explosive leaping. Volleyball requires a high-end surface capable of supporting high-performance play. That’s Advance Vulcanized.

BETTER GRIP MEANS BETTER PERFORMANCE

The performance layer is made of solid rubber that requires no finishes or surface coatings. It is designed to exceed the toughest friction coefficient standards for high-level play and superior biomechanical performance.

LESS IMPACT, MORE COMFORT

The underlayer’s deformable geometric structure increases the flooring elasticity. This results in optimized foot support, exceptional shock absorption and maximized energy return for superior comfort while playing.

MAXIMUM SUPPORT FOR HEAVY LOADS

The load disbursement layer enables Advance Vulcanized to withstand heavy loads, such as sports equipment, bleachers, benches and tables.

INFORMATION DES DIMENSIONS


ÉPAISSEUR	LONGUEUR DE ROULEAU	LARGEUR DE ROULEAU
8 mm	**19' à 43' (13 m (Min. 6m, Max. 15 m))**	**6’1" (1.86)**
10 mm	**19' à 43' (13 m (Min. 6m, Max. 15 m))**	**6’1" (1.86)**

Toute reproduction, partielle ou totale, et compris toute forme de transmission des informations contenues dans le présent document, devra préalablement avoir été autorisée par Mondo.

GAMME DE COULEURS


L35


L14


L25


L41


L40


L54


L70


L73


L86


L08


L06


L62


L92


L136


L27

Toute reproduction, partielle ou totale, et compris toute forme de transmission des informations contenues dans le présent document, devra préalablement avoir été autorisée par Mondo.