


MONDOLIFT PRO

ELEVATE YOUR TRAINING

MONDO OFFERS THE MONDOLIFT PRO PLATFORM SYSTEM, COMBINING A MICROBIAL RESISTANT, PREFINISHED HARDWOOD INSERT BY PRATERS WITH DROP ZONES MADE FROM MONDO'S NONPOROUS VULCANIZED RUBBER. DROP ZONE SUBFLOOR INCLUDES PATENT PENDING DAMPENING FOAM TECHNOLOGY THAT REDUCES SOUND AND WEIGHT REBOUNDS PROVIDING ATHLETES WITH A SAFE, HYGIENIC LIFTING OPTION.

Whether you want to do Deadlifting or Olympic lifting, our high-performance platforms will deliver the comfort and safety you expect from MONDO's product line.



- A. High Impact Foam
- B. 10 mm Sport Impact
- C. 15 mm Engineered Red Oak

CREATE THE BEST SPACE FOR YOUR STRENGTH & CONDITIONING AREA

This **completely customizable platform system** allows you to create the best strength and conditioning space to fit your team's needs. With the use of interlocking panel inserts that can be incorporated between lifting stations, you have the capability of adding panels in any direction. This allows you unlimited possibilities to create a unique weight lifting space. Whether you desire a single lifting platform, or a uniform multi-platform lifting surface on one level, you have the ability to create an area specifically designed for your sports teams and recreational athletes.



DESIGN AN ATTENTION-GETTING LOOK TO YOUR CUSTOMIZABLE DEADLIFT PLATFORM

In partnership with Praters, **our design capabilities are endless**. With the option of painting or applying high performance patented PlayOn decals, we can provide design options that will take your branding to the next level. Combining your school or facility logo with MONDO's array of drop zone colors will generate an unforgettable wow factor that will leave a lasting impression on your athletes and future recruits.

If you are ready to take your lifting experience to the next level, or are interested in how we can help transform your strength and conditioning room to meet and exceed the needs of your facility and athletes, [Contact MONDO](#) to learn more about the MondoLIFT PRO Platform System.

RAMFLEX

THICKNESSLENGTH

WIDTH

WEIGHT

TILE SIZE

10 mm 29'6" (Min. 19'8", Max. 36'1") (9 m) 6' (186 cm) 3.2 lbs/sq.ft. (13.5 kg/m²) 36" x 36" (91.35 x 91.35 cm)


COLOR RANGE




G920




G712




G741



G715




G707



G710



G986


















G790



SPORT IMPACT

THICKNESS	LENGTH	WIDTH	WEIGHT	TILE SIZE
10 mm	29'6" (Min. 19'8", Max. 36'1") (9 m)	6' (186 cm)	2.9 lbs/sq.ft. (14.2 kg/m²)	3' x 3' (91.35 x 91.35 cm)

COLOR RANGE

 057	 073	 S110	 056	 S154
 117	 124	 S136	 S141	 S062
 S026	 S008	 S018	 S011	 S073

MONDOLIFT PRO

THICKNESS	LENGTH	WEIGHT	WIDTH
73 mm	6' (72") (1.83 m)	256 lbs. (116.12 kg)	7' 71/4" (91.25" includes drop zones) (2.32 m)